MATERIAL SAFETY DATA SHEET (MSDS)

Speedball Brayer Soft Rubber

I. COMPANY AND PRODUCT IDENTIFICATION

Company: Speedball Art Products

2301 Speedball Rd Statesville, NC 28677

Tel: 800-898-7224

Date: January 2, 2012

Product: Rubber Roller Soft

Chemical Name: Natural Rubber

Trade Names: RMA IX

Emergency Phone Number: 800-898-7224

II. INGREDIENTS / IDENTITY INFORMATION

Major components: Natural Rubber

Minor Components: Zinc Oxide

Sulfur

Hydrocarbon Process Oil

Accelerators / Activators (< 1%) Antioxidant / Stabilizers (< 1%)

III. PHYSICAL PROPERTIES

Appearance Flexible rubber rolls

Odor Slight typical rubber product odor

Specific Gravity 1.10-1.20

Boiling Point N/A **Melting Point** N/A **Decomposition Temperature** > 250 °C

Vapor Pressure N/A Percent Volatile N/A Solubility in water Insoluble

IV. FIRE AND EXPLOSION HAZARD DATA

 $> 300 \, ^{\circ} \, \mathrm{C}$ Flash Point Lower Explosion Limit N/A **Upper Explosion Limit** N/A

Fire Hazard: Stable under normal situation flammable / combustible

under high heat and flame.

Can generate toxic and combustible fumes, - Carbon monoxide nitrogen and hydrocarbon compounds, and

soot.

Fire Fighting Procedures Use full protective equipment filter masks etc.

Extinguishing Media High expansion Foam, water fog and spray.

V. HEALTH HAZARDS

Contact: Wash hands with mild soap after handling.

> Avoid contact with eyes. If the eyes are irritated flush with water for ten minutes. Obtain medical attention. Avoid ingestion. If ingested seek medical attention.

Inhalation Work in well-ventilated area.

VI. REACTIVITY AND STABILITY

Stability Product is non-reactive with non-polar chemicals and

aqueous solutions.

Do not use in contact with gasoline and hydrocarbon

solvents.

Reactivity: : Stable under normal situation. Flammable and

Combustible. Store below 35° C in cool, dry location.

VII. WASTE DISPOSAL

: Disposal must be in accordance with, state and local

regulations.

Bury waste in approved landfill site.

Do not incinerate.

VIII. PROTECTIVE EQUIPMENT

Ventilation : Local and general ventilation is necessary to keep air

concentration below level of concern.

IX. STORAGE AND TRANSPORTATION

Package product in paper, plastic film, or box in order to minimize surface exposure store in cool dry, ventilation area.

X. INFORMATION

With appropriate commercial practices, the natural rubber materials and products are safe to handle and in storage.