

Safety Data Sheet

In accordance with EC Directive 1907/2006/EC

Revision No.: 8

Revision date: 14-03-2014

Page 1/3

1. Identification of the product and company

Trade name : **Linoleum**

Application of the product : Linoleum Relief Printing

Manufacturer/supplier : Speedball Art Products
2301 Speedball Rd
Statesville, NC 28677
Telephone: 800.898.7224

2. Hazards identification

Hazard description : No particular hazard for persons and the environment known

3. Composition/information on ingredients

Description : Floor covering based on a binder composed of vegetable drying oil and natural rosin, mixed with wood flour and limestone, pressed on a jute backing. Lacquered with a waterborne UV cured urethane acrylate hybrid dispersion

Dangerous components : None

4. First-aid measures

After inhalation : Not applicable

After skin contact : Not applicable

After eye contact : Not applicable

After swallowing : Not applicable

5. Fire-fighting measures

Suitable extinguishing media : Water, foam, carbon dioxide, dry powder

Special hazards from the product itself, its products of combustion or resulting gases : Hazardous combustion product: carbon monoxide

Protective equipment : Use self-contained breathing apparatus

6. Accidental release measures

Person-related safety precautions : Not applicable

Measures for environmental protection : Not applicable

Measures for cleaning/collecting : Not applicable

Safety Data Sheet

In accordance with EC Directive 1907/2006/EC

Revision No.: 8

Revision date: 14-03-2014

Page 2/3

7. Handling and storage

Information for safe handling	:	No specific measure required
Information about storage	:	No specific measure required

8. Exposure controls/personal protection

Ingredients with occupational exposure limits to be monitored	:	Not applicable
General protective and hygienic measures	:	No specific measures required
Respiratory protection	:	Not applicable
Hand protection	:	Not applicable
Eye protection	:	Not applicable
Skin protection	:	Not applicable

9. Physical and chemical properties

Physical state	:	Solid flexible floor covering
Form	:	Sheet or tile
Colour	:	Various colours and patterns
Odour	:	Weak "linseed oil" smell
Melting point	:	Not applicable
Flash point	:	Not applicable
Decomposition temperature	:	Approx. 450 °C
Danger of explosion	:	Not applicable
Density	:	1150 – 1250 kg/m ³
Solubility	:	Insoluble in water or conventional solvents

10. Stability and reactivity

Thermal decomposition	:	No decomposition up to approx. 450 °C
Hazardous reactions	:	No hazardous reactions
Dangerous decomposition products	:	No dangerous decomposition products

11. Toxicological information

General information	:	No harmful effects have been reported to date
----------------------------	---	---

Safety Data Sheet

In accordance with EC Directive 1907/2006/EC

Revision No.: 8

Revision date: 14-03-2014

Page 3/3

12. Ecological information

Information about elimination	:	Product is biodegradable and can be composted.
Other information	:	Insoluble in water

13. Disposal considerations

Product	:	Incineration with energy recovery is the preferred disposal method. Land filling in a permitted facility is an alternative. All applicable local and national legislation should be consulted before disposal.
Packaging	:	Packaging should be subjected to waste management schemes (recovery recycling) in accordance local and national legislation

14. Transport information

ADR	:	Not restricted
ADNR	:	Not restricted
RID	:	Not restricted
IATA	:	Not restricted
IMDG	:	Not restricted

15. Regulatory information

Labelling in accordance with EC-directives	:	The product does not require a hazard warning label in accordance with EC directives or relevant national laws
---	---	--

16. Other information

Department issuing MSDS	:	Research & Development
Contact	:	Bud Martin