

Mona Lisa Antiquing Glaze

SAFETY DATA SHEET (SDS)

Version: 01

Date of Issue: November 24, 2022

According to: OSHA Hazard Communication Standard
29 CFR 1910.1200(g) Rev. 2012

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name: Mona Lisa Antiquing Glaze
Product sizes: 2 fl. oz. (59 mL) to 32 fl. oz. (946 mL)
Other Means of Identification: None known
Product Description: Liquid glaze formulation intended to be applied using a brush onto sealed surfaces.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s): The product is intended for general (adults) arts and crafts purposes.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Speedball Art Products Company, LLC
2301 Speedball Rd
Statesville, NC 28677 USA
Business Phone: +1 (704) 838-1475
Email: customerservice@speedballart.com

1.4 Emergency telephone number

Emergency Telephone: Contact the local poison control centre.

Section 2 – Hazard(s) Identification

2.1. Classification of the substance or mixture

According to: OSHA Hazard Communication Standard 29 CFR 1910.1200(g) Rev. 2012

| Health | Environmental | Physical |
|----------------|----------------|----------------|
| Not classified | Not classified | Not classified |

2.2. Label elements

Label Pictogram: None
Signal Word: None
Hazard Statement: None
Precautionary Statement: None
Supplemental Hazard Information: None

2.3. Other hazards

- No other hazards have been identified for this product.

Section 3 – Composition / Information on Ingredients

Mixture

| Chemical Name | CAS No. | EC No. | % Concentration | GHS Hazards |
|-------------------|---------------------------|---------------------------|-----------------|----------------------|
| Titanium dioxide | 13463-67-7 | 236-675-5 | up to 0.1478 | H351: Carc 2 (Resp) |
| Talc ^a | 14807-96-6 | 238-877-9 | up to 0.6154% | H350: Carc 1A (Resp) |
| HYDRICRYL™ 132 | N/A (proprietary mixture) | N/A (proprietary mixture) | up to 3.6005% | H320: Eye irrit. 2B |

^a Assessment of the product, was based on the assumption that the talc used in the product contains <0.1% asbestos fibers. If this is not the case, reassessment of the product is required.

The other ingredients in the product are either considered non-hazardous or are below their respective GHS cut-off values/concentration limits in the final product and were therefore not disclosed in the SDS.

It should be noted that the product may contain titanium dioxide (CAS No. 13463-67-7) and quartz (CAS No.14808-60-7), which may be hazardous when inhaled. Given the nature and physical form of the product (*i.e.*, liquid glaze) airborne respirable particles would not likely be released from the product and therefore the hazard is not relevant to the product.

This SDS was prepared under the assumption that the polymers contained in the mixtures, ACUSOL™ 820 Polymer, HYDRICRYL™ 132, Paragum 500, and RHOPLEX™ AC-261LF Acrylic Emulsion, are present in the final product as fully reacted/cured, high-molecular weight, and highly stable polymers with negligible residual monomers present (<0.1%). If this is not the case, reassessment of the product is required.

Section 4 – First Aid Measures

4.1 Description of first aid measures

Eye contact: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. Seek medical attention if in doubt.

Skin contact: No specific first aid measures are required. If irritation occurs, wash with plenty of water and soap. Take off contaminated clothing. If skin irritation persists: Get medical advice/attention.

Inhalation: No specific first aid measures are required. Inhalation route of exposure is not anticipated with intended use. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Seek medical attention if in doubt.

Ingestion: No specific first aid measures are required. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to **Section 11 - Toxicological Information**.

4.3 Indication of any immediate medical attention and special treatment needed

- Not required.

Section 5 – Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, foam, dry chemical or carbon dioxide).

Unsuitable Extinguishing Media: None known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

- Irritating vapours or fumes may form if product is involved in fire:
- Also see **Section 10 - Stability and Reactivity**.

5.3 Advice for firefighters

- Wear a self-contained breathing apparatus to protect against potentially irritating vapours or fumes.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in **Section 8 – Exposure Controls/Personal Protection**.

Emergency Procedures: Not available.

6.2 Environmental precautions:

- Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Collect recoverable product and place in a designated container for recycle and/or disposal. Ventilate contaminated area thoroughly. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

- Refer to **Section 8 - Exposure Controls/Personal Protection** and **Section 13 – Disposal Considerations**.

Section 7– Handling and Storage

7.1 Precautions for safe handling

- Wash hands thoroughly after handling.
- Wash contaminated clothing before reuse.
- Employees should be trained in the safe use and handling of chemical materials.
- Refer to **Section 8 - Exposure Controls/Personal Protection**.

7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed to avoid spills.
- Keep in a cool dry place.

7.3 Specific end use(s)

- Refer to **Section 1.2 - Relevant identified uses**.

Section 8– Exposure Controls / Personal Protection

8.1 Control Parameters:

Occupational exposure limits: Only vapours were considered to be foreseeable under conditions of normal use. Airborne particles, such as dust, are not foreseeable under conditions of normal use.

| Chemical Name | CAS No. | ACGIH TLV TWA | OSHA PEL TWA | NIOSH REL TWA | DFG MAK TWA | |
|--------------------|------------|-----------------------|--|---|-------------------------|--|
| Titanium dioxide | 13463-67-7 | 10 mg/m ³ | 15 mg/m ³ * | - | 0.3 mg/m ³ R | |
| Talc | 14807-96-6 | 2 mg/m ³ R | 2 mg/m ³ ** | 2 mg/m ³ ** with <1% quartz | - | |
| * Total dust | | R | Measured as respirable fraction of the aerosol | | | |
| ** Respirable dust | | | | | | |

8.2 Exposure Controls:

Appropriate engineering controls

- No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required.

8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

| | |
|---|---|
| Respiratory: | Under normal conditions of use, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. |
| Eyes/Face: | If contact is likely, safety glasses with side shields are recommended. |
| Hands: | Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur, wear chemically protective gloves. |
| Body/Skin: | Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material. |
| Thermal Hazards: | None known. |
| Environmental Exposure Controls: | Not available. |
| Hygiene measures: | Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse. When using the product do not eat, drink or smoke. |

Section 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

| | | | |
|--------------------------------------|---------------|---|---------------|
| Appearance: | | | |
| Physical state: | Liquid | Partition Coefficient n-octanol/water: | Not available |
| Colour: | Burnt Umber | Auto-ignition temperature: | Not available |
| Odour/Odour threshold: | Not available | Decomposition temperature: | Not available |
| pH (as supplied): | 8.3 – 9.2 | Dynamic viscosity: | Not available |
| Melting/freezing point: | Not available | Molecular weight: | Not available |
| Boiling point/range: | Not available | Taste: | Not available |
| Flash point: | Not available | Explosive properties: | Not available |
| Evaporation rate: | Not available | Oxidizing properties: | Not available |
| Flammability: | Not available | Surface tension: | Not available |
| Upper/lower explosive limits: | Not available | Volatile component: | Not available |
| Vapor pressure: | Not available | Gas group: | Not available |
| Water solubility: | Not available | pH (as solution): | Not available |
| Vapor density (Air = 1): | Not available | VOC: | Not available |
| Specific gravity (Water = 1): | Not available | Particle size range: | Not available |
| Relative density: | Not available | | |

9.2 Other information

- No further data available.

Section 10 – Stability and Reactivity

10.1 Reactivity

- This material is not considered to be reactive under normal handling and storage conditions.

10.2 Chemical stability

- This material is considered stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

- Not expected to occur under normal handling and storage conditions.

10.4 Conditions to avoid

- Exposure to high temperatures
- Strong acids
- Strong bases
- Strong oxidisers

10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidisers
- Strong reducing agents.

10.6 Hazardous decomposition products

- Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids.

Section 11 – Toxicological Information

11.1 Likely routes of exposure: Skin contact.

Potential signs and symptoms: None expected under conditions of normal use.

| | |
|--|--|
| Acute oral toxicity: | The product is practically non-toxic based on available animal and human use data. ATE >5000 mg/kg |
| Acute dermal toxicity: | The product is practically non-toxic based on available animal and human use data. ATE >5000 mg/kg |
| Acute inhalation toxicity: | The product is practically nontoxic based on available animal and human use data. |
| Skin corrosion/irritation: | The components of this product at >1% are not corrosive to the skin or skin irritants based on human and/or animal studies. |
| Serious eye damage/irritation: | The proprietary polymer-based mixture, HYDRICRYL™ 132, has been classified for eye irritation; however, product classification is not warranted given the concentration of styrene acrylic resin solution in final product. The other components of this product at >1% are not damaging to the eyes or eye irritants based on human and/or animal studies. |
| Respiratory or skin sensitization: | The components in this product at >0.1% are not sensitizing to the skin based on human and/or animal studies. |
| Mutagenicity: | The components in the product at >0.1% are not mutagenic based on animal studies or no data identified for the components in this product. |
| Carcinogenicity: | Titanium dioxide (CAS No. 13463-67-7) (airborne, unbound particles of respirable size) has been classified for carcinogenicity (Category 2). Product classification is not warranted based on the particle size information provided by the ingredient supplier and the nature of the product (<i>i.e.</i> , liquid glaze). Titanium dioxide (airborne, unbound particles of respirable size) is listed in Group 2B by IARC. Titanium dioxide is also listed as carcinogens by NTP and ACGIH. The other components in the product at >0.1% are not carcinogenic based on animal studies or no data identified for the components in this product. |
| Reproductive Toxicity: | The components in the product at >0.1% are not reproductive toxicants based on animal studies or no data identified for the components in this product. |
| Specific target organ toxicity (single exposure): | The components in the product at >1% are not specific target organ toxicity (single exposure) toxicants based on animal studies or no data identified for the components in this product. |

Specific target organ toxicity (repeated exposure):

The components in this product at >1% are not repeated exposure specific target organ toxicity hazards based on available information, human and/or animal studies.

Aspiration hazard:

The components in the product at >1% are not aspiration hazards based on animal studies or no data identified for the components in this product.

References:

ECHA (European Chemicals Agency). 2022. REACH Registered Substances Database. <https://echa.europa.eu/search-for-chemicals>
IARC (International Agency for Research on Cancer). 2022. Agents Classified by the IARC Monographs, Volumes 1–129. <https://monographs.iarc.who.int/list-of-classifications/>
NTP (National Toxicology Program). 2022. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <https://ntp.niehs.nih.gov/go/roc14>

Section 12 – Ecological Information

12.1 Toxicity

- This product is not expected to be harmful or toxic to aquatic life.

12.2 Persistence and degradability

- No data available for the components of the product.

12.3 Bioaccumulative potential

- No data available.

12.4 Mobility in Soil

- No data available.

12.5 Results of PBT and vPvB assessment

- No data available.

12.6 Other adverse effects

- No further data available.

Section 13 – Disposal Considerations

13.1 Waste treatment methods

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Dispose of waste in accordance with local, regional, national, and/or international regulations. The empty container has residues which may exhibit hazards of the product.

Contaminated Packaging: Container packaging is not expected to exhibit hazards.

Section 14 – Transport Information

Note: This product is not regulated as dangerous goods for transport.

| | |
|---|----------------|
| 14.1 UN number | Not applicable |
| 14.2 UN proper shipping name | Not applicable |
| 14.3 Transport hazard class(es): | Not applicable |
| 14.4 Packing group | Not applicable |
| 14.5 Environmental hazards | None |
| 14.6 Special precautions for user | None |
| 14.7 Maritime transport in bulk according to IMO instruments | Not applicable |

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in **Section 3 – Composition / Information on Ingredients**.

United States**Federal Regulations:****Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):**

| Chemical Name | CAS No. | CERCLA RQ | CAA112(r) TQ |
|--------------------|-----------|-----------|----------------|
| Ammonium hydroxide | 1336-21-6 | 1,000 lbs | Not applicable |
| Ethyl acrylate | 140-88-5 | 1,000 lbs | Not applicable |
| Ethylene oxide | 75-21-8 | 10 lbs. | 10,000 |

No other components in this product >0.1% are subject to reporting under CERCLA.

Clean Water Act (CWA): No components in this product are listed as toxic pollutants.

Clean Air Act (CAA): Ethylene oxide (CAS No. 75-21-8) is listed by the CAA with a threshold quantity of 10,000 lbs. Formaldehyde (CAS No. 50-00-0) is listed by the CAA with a threshold quantity of 15,000 lbs. No other components in this product are listed under the CAA.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA 302 Components: Ethylene oxide (CAS No. 75-21-8) has a reporting quantity of 1,000 lbs in accordance with S.302. Formaldehyde (CAS No. 50-00-0) has a reporting quantity of 500 lbs in accordance with S.302. No other components in this product are subject to reporting requirements of S.302.

SARA 304 Emergency Release Notification: Ethylene oxide (CAS No. 75-21-8) has a reporting quantity of 10 lbs in accordance with S.304. Formaldehyde (CAS No. 50-00-0) has a reporting quantity of 100 lbs in accordance with S.304. No other components in this product are subject to reporting requirements of S.304.

SARA 311/312 Hazards: None.

SARA 313 Components: Ammonium hydroxide (CAS No. 1336-21-6), aluminium oxide (CAS No. 1344-28-1), 3-iodo-2-propynyl butyl carbamate (CAS No. 55406-53-6), formaldehyde (CAS No. 50-00-0), ethylene oxide (CAS No. 75-21-8), and ethyl acrylate (CAS No. 140-88-5) are subject to reporting requirements of S.313. No other components in this product are subject to reporting requirements of S.313.

Toxic Substances Control Act (TSCA): Methanol, (1H,3H,5H-oxazolo[3,4-c]oxazol-7a(7H)-ylmethoxy)- (CAS No. 59720-42-2), and 5-hydroxypoly (methyleneoxy (74% C2, 21% C3, 4% C4, 1% C5) methyl-1-aza-3, 7-dioxabicyclo-(3.3.0) octane (CAS No. 56709-13-8) are not listed on the TSCA inventory. All other components are listed on the non-confidential TSCA inventory or are exempt.

State Regulations:

California Candidate Chemicals List: Octylphenol ethoxylate (CAS No. 9002-93-1), titanium dioxide (CAS No. 13463-67-7) (airborne, unbound particles of respirable size), proplidynetrimethanol (CAS No. 77-99-6), quartz 13463-67-7 (CAS No. 14808-60-7), formaldehyde (CAS No. 50-00-0), ethylene oxide (CAS No. 75-21-8), and ethyl acrylate (CAS No. 140-88-5) are listed on California's Candidate Chemicals List. Talc (CAS No. 14807-96-6) (listed as talc containing asbestiform fibers) is listed on the California Candidate Chemicals List; however, given the assumption that the talc used in the product contains <0.1% asbestos fibers, labelling requirements of Proposition 65 do not apply. No other components in this product are listed on the Candidate Chemicals List.

California Proposition 65 List: Titanium dioxide (CAS No. 13463-67-7) (airborne particles of respirable size) and quartz (CAS No. 14808-60-7) [listed as silica, crystalline (airborne particles of respirable size)] are listed on the Proposition 65 List; however, given the nature/physical form of the product (*i.e.*, liquid glaze), airborne respirable particles would not likely be released from this product and therefore the listed form of silica, crystalline and titanium dioxide are not relevant for the product. Talc (CAS No. 14807-96-6) (listed as talc containing asbestiform fibers) is listed on the Proposition 65 List; however, given the assumption that the talc used in the product contains <0.1% asbestos fibers, labelling requirements of Proposition 65 do not apply. Formaldehyde (CAS No. 50-00-0), ethylene oxide (CAS No. 75-21-8), and ethyl acrylate (CAS No. 140-88-5) are listed on the Proposition 65 List. A screening assessment indicates that the trace levels of these constituents are not expected to be a cause for concern or require warnings as per California Proposition 65. No other components in this product are listed on the Proposition 65 List.

Maine List of Chemicals of High Concern: Given the product is not considered to be a toy and is not intended for use by children, the List of Chemicals of High Concern is not applicable to the product.

Massachusetts Toxic or Hazardous Substance List: Formaldehyde (CAS No. 50-00-0) is listed on the Toxic or Hazardous Substance List. No other components in this product are listed on the Toxic or Hazardous Substance List.

Minnesota Chemicals of High Concern List and Priority List: Titanium dioxide (CAS No. 13463-67-7), proplidyntrimethanol (CAS No. 77-99-6), 2,2,4-trimethyl-1,3-pentanediol diiso-butyrate (CAS No. 6846-50-0), quartz (CAS No. 14808-60-7), formaldehyde (CAS No. 50-00-0), ethylene oxide (CAS No. 75-21-8), and ethyl acrylate (CAS No. 140-88-5) are listed on the Chemicals of High Concern and Priority list. No other components in this product are listed on the Chemicals of High Concern and Priority list.

New Jersey Right to Know Hazardous Substance List: Propylene glycol (CAS No. 57-55-6), titanium dioxide (CAS No. 13463-67-7), aluminium oxide (CAS No. 1344-28-1), talc (CAS No. 14807-96-6), magnesium carbonate (listed as magnesite) (CAS No. 546-93-0), barium sulfate (CAS No. 7727-43-7), iron oxide red (listed as iron oxide) (CAS No. 1309-37-1), quartz (CAS No. 14808-60-7), ammonium hydroxide (CAS No. 1336-21-6), 3-iodo-2-propynyl butyl carbamate (CAS No. 55406-53-6), formaldehyde (CAS No. 50-00-0), ethylene oxide (CAS No. 75-21-8), and ethyl acrylate (CAS No. 140-88-5) are listed on the Right to Know Hazardous Substance List. No other components present at >0.1% in the product are listed on the Right to Know Hazardous Substance List.

Pennsylvania Hazardous Substance List: Propylene glycol (CAS No. 57 55-6), titanium dioxide (CAS No. 13463-67-7), aluminium oxide (CAS No. 1344-28-1), talc (CAS No. 14807-96-6), barium sulfate (CAS No. 7727-43-7), iron oxide red (listed as iron oxide) (CAS No. 1309-37-1), quartz (CAS No. 14808-60-7), ammonium hydroxide (CAS No. 1336-21-6), formaldehyde (CAS No. 50-00-0), ethylene oxide (CAS No. 75-21-8) and ethyl acrylate (CAS No. 140-88-5) are listed on the Hazardous Substance List. No other components in this product are listed on the Hazardous Substance List.

Vermont Chemicals of High Concern to Children: Given the product is not considered to be a toy and is not intended for use by children, the Chemicals of High Concern to Children list is not applicable to the product.

Washington Chemicals of High Concern to Children: Given the product is not considered to be a toy and is not intended for use by children, the Chemicals of High Concern to Children list is not applicable to the product.

International:

IARC: Formaldehyde (CAS No.50-00-0) and ethylene oxide (CAS No.75-21-8) are listed as Group 1, carcinogenic to humans. Ethyl acrylate (CAS No. 140-88-5) is listed as Group 2B, possibly carcinogenic to humans. Iron oxide red [listed as ferric oxide (CAS No.1309-37-1)] is classified as Group 3, not classifiable as to its carcinogenicity to humans. No other components in this product are classified with respect to carcinogenicity.

15.2 Chemical Safety Assessment

- None available for the components in this product.

Section 16 – Other Information

List of acronyms and abbreviations:

| | |
|--|---|
| ACGIH: American conference of Governmental Hygienists | OSHA: Occupational Safety and Health Administration |
| ATE: Acute Toxicity Estimate | PBT: Persistent, Bioaccumulative and Toxic |
| CAA: Clean Air Act | PEL: Permissible Exposure Level |
| CAS: Chemical Abstract Service Number | PPE: Personal Protective Equipment |
| CERCLA: Comprehensive Environmental Response and Liability Act | REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals |
| CWA: Clean Water Act | REL: Recommended exposure level |
| DFG MAK: Deutsche Forschungsgemeinschaft Maximale Arbeitsplatz-Konzentration | SARA: Superfund Amendment and Reauthorization Act |
| EC: European Commission | SDS: Safety Data Sheet |
| ECHA: European Chemicals Agency | STOT RE: Specific target organ toxicity (repeated exposure) |
| GHS: Global Harmonized System | TLV: Threshold limit value |
| HEPA: High Efficiency Particulate Air | TWA: Time-weighted average |
| IARC: International Agency for Research on Cancer | TSCA: Toxic Substances Control Act |
| IBC: International Bulk Chemical | UN: United Nations |
| MARPOL: Maritime Pollution | vPvB: very Persistent, very Bioaccumulative |
| NIOSH: National Institute for Occupational Safety & Health | |

References:

ECHA (European Chemicals Agency). 2022. REACH Registered Substances Database. <https://echa.europa.eu/search-for-chemicals>
 IARC (International Agency for Research on Cancer). 2022. Agents Classified by the IARC Monographs, Volumes 1–129. <https://monographs.iarc.who.int/list-of-classifications/>
 NTP (National Toxicology Program). 2022. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <https://ntp.niehs.nih.gov/go/roc14>

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a new Safety Data Sheet.

Creation Date: November 24, 2022