Speedball Screen Filler

SAFETY DATA SHEET (SDS)

According to: OSHA Hazard Communication Standard Version: 01

29 CFR 1910.1200(g) Rev. 2012, WHMIS Date of Issue: May 20, 2022 2015 (Hazardous Products Regulations)

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name: Speedball Screen Filler

4 fl. oz. (118 mL), 8 fl. oz. (237 mL), 32 fl. oz. (946.3 mL) Product sizes:

Other Means of Identification:

Product Description: Water-soluble fluid used for screen printing that is applied using a squeegee.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s): The product is intended for general (adults) arts and crafts purposes.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Speedball Art Products Company, LLC

2301 Speedball Rd

Statesville, NC 28677 USA

Business Phone: +1 (704) 838-1475

customerservice@speedballart.com Email:

1.4 Emergency telephone number

Emergency Telephone: Contact the local poison control centre.

Section 2 – Hazard(s) Identification

2.1. Classification of the substance or mixture

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Health	Environmental	Physical
Not classified	Not classified	Not classified

2.2. Label elements

2.2. Label elements

Label Pictogram: None Signal Word: None Hazard Statement: None **Precautionary Statement: None**

Supplemental Hazard Information: None

2.3. Other hazards

No other hazards have been identified for this product

Section 3 – Composition / Information on Ingredients

Mixture

Chemical Name	CAS No.	EC No.	% Concentration
Talc ^a	14807-96-6	238-877-9	up to 4.24%
Crystalline silica ^b	14808-60-7	238-878-4	up to 0.04%

It was assumed that the talc used in the product contains <0.1% asbestos fibers.

The other ingredients in the product are either considered non-hazardous or are below their respective GHS cut-off values/concentration limits in the final product and were therefore not disclosed in the SDS.

This SDS was prepared under the assumption that the polymers contained in the mixtures HYDRIPRINT™ 604 and HYDRIPRINT™ 243 LV, and the ingredient styrene acrylic resin solution contained within the mixture, Hydricryl 132 are present in the final product as fully reacted/cured, high-molecular weight, and highly stable polymers with negligible residual monomers present (<0.1%).

Section 4 - First Aid Measures

4.1 Description of first aid measures

Eye contact: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. Seek medical attention if in doubt.

Skin contact: No specific first aid measures are required. If irritation occurs, wash with plenty of water and soap. Take off contaminated clothing. If skin irritation persists: Get medical advice/attention.

Inhalation: No specific first aid measures are required. Inhalation route of exposure is not anticipated with intended use. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Seek medical attention if in doubt.

Ingestion: No specific first aid measures are required. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Not required.

Section 5 – Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, foam, dry chemical or carbon dioxide).

Unsuitable Extinguishing Media: None known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

- Irritating vapours or fumes may form if product is involved in fire:
- Also see **Section 10** Stability and Reactivity.

5.3 Advice for firefighters

• Wear a self-contained breathing apparatus to protect against potentially irritating vapours or fumes.

^b Crystalline silica (particles of respirable size) (CAS No.14808-60-7) may be hazardous when inhaled. Given the nature and physical form of the product (*i.e.*, liquid ink) airborne respirable particles would not likely be released from the product and therefore the hazard is not relevant to the product.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in **Section 8** – Exposure Controls/Personal Protection.

Emergency Procedures: Not available.

6.2 Environmental precautions:

• Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Collect recoverable product and place in a designated container for recycle and/or disposal. Ventilate contaminated area thoroughly. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 – Handling and Storage

7.1 Precautions for safe handling

- Wash hands thoroughly after handling.
- Wash contaminated clothing before reuse.
- Employees should be trained in the safe use and handling of chemical materials.
- Refer to **Section 8** Exposure Controls/Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed to avoid spills.
- Keep in a cool dry place.

7.3 Specific end use(s)

• Refer to **Section 1.2** - Relevant identified uses.

Section 8- Exposure Controls / Personal Protection

8.1 Control Parameters:

Occupational exposure limits: Only vapours were considered to be foreseeable under conditions of normal use. Airborne particles, such as dust, are not foreseeable under conditions of normal use.

Chemical Name	CAS No.	ACGIH TLV TWA	OSHA PEL TWA	NIOSH REL TWA	DFG MAK
Talc	14807-96-6	2 mg/m ³	2 mg/m ³	2 mg/m³ and <1% quartz	-
Quartz	14808-60-7	0.025 mg/m ³	0.05 mg/m ³	0.05 mg/m ³	-

8.2 Exposure Controls:

Appropriate engineering controls

 No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required.

8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

Respiratory: Under normal conditions of use, respirator is not usually required. Use appropriate respiratory

protection if exposure to dust particles, mist or vapors is likely. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed

whenever workplace conditions require the use of a respirator.

Eves/Face: If contact is likely, safety glasses with side shields are recommended.

Hands: Use good industrial hygiene practices to avoid skin contact. If contact with the material may

occur, wear chemically protective gloves.

Body/Skin: Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or

similar apparel that could entrap the material.

Thermal Hazards: None known.

Environmental Exposure

Controls: Not available.

Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing Hygiene measures:

should not be allowed out of the workplace and should be washed before reuse. When using the

product do not eat, drink or smoke.

Section 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

Appearance:			
Physical state:	Liquid	Partition Coefficient	
Colour:	Red oxide	n-octanol/water:	Not available
Odour/Odour threshold:	Not available	Auto-ignition temperature:	Not available
pH (as supplied):	7 - 8	Decomposition temperature:	Not available
Melting/freezing point:	Not available	Dynamic viscosity:	Not available
Boiling point/range:	Not available	Molecular weight:	Not available
Flash point:	Not available	Taste:	Not available
Evaporation rate:	Not available	Explosive properties:	Not available
Flammability:	Not available	Oxidizing properties:	Not available
Upper/lower explosive limits:	Not available	Surface tension:	Not available
Vapor pressure:	Not available	Volatile component:	Not available
Water solubility:	Not available	Gas group:	Not available
Vapor density (Air = 1):	Not available	pH (as solution):	Not available
Specific gravity (Water = 1):	Not available	VOC:	Not available
Relative density:	Not available	Particle size range:	Not available

9.2 Other information

No further data available.

Section 10 - Stability and Reactivity

10.1 Reactivity

This material is not considered to be reactive under normal handling and storage conditions.

10.2 Chemical stability

• This material is considered stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

Not expected to occur under normal handling and storage conditions.

10.4 Conditions to avoid

- Exposure to high temperatures
- Strong acids
- Strong bases
- · Strong oxidisers

10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidisers
- · Strong reducing agents

10.6 Hazardous decomposition products

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other
products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion, burning, or
decomposition of dry solids.

Section 11 – Toxicological Information

Likely routes of exposure: Skin contact. Inhalation of vapors.

Potential signs and symptoms: None expected under conditions of normal use.

Acute oral toxicity: The product is practically non-toxic based on available animal and human use

data. ATE >2000 mg/kg

Acute dermal toxicity: The product is practically non-toxic based on available animal and human use

data. ATE >2000 mg/kg

Acute inhalation toxicity: The product is practically nontoxic based on available animal and human use

data.

Skin corrosion/irritation: The components >1% of this product are not skin irritants based on human

and/or animal studies.

Serious eye damage/irritation: The components of this product >1% are not eye irritants based on human

and/or animal studies.

Respiratory or skin sensitization: The components in this product >0.1% are not sensitizing to the skin based on

human and/or animal studies.

Mutagenicity: The components in the product >0.1% are not classified with respect to

mutagenicity by the IARC, NTP, and ACGIH.

Crystalline silica (CAS No 14808-60-7) has been classified for carcinogenicity

(Category 1A). The other components in the product >0.1% are not classified

with respect to carcinogenicity by the IARC, NTP, and ACGIH.

Reproductive Toxicity: The components in the product >0.1% are not reproductive toxicants based on

animal studies or no data identified for the components in this product.

Specific target organ toxicity

(single exposure):

The components in the product >1% are not specific target organ toxicity (single exposure) toxicants based on animal studies or no data identified for the

components in this product.

Specific target organ toxicity

(repeated exposure):

The components in the product >1% are not specific target organ toxicity (repeated exposure) toxicants based on animal studies or no data identified for

the components in this product.

Aspiration hazard: The components in the product >1% are not aspiration hazards based on animal

studies or no data identified for the components in this product.

Section 12 – Ecological Information

12.1 Toxicity

• This product is not expected to be harmful or toxic to aquatic life.

12.2 Persistence and degradability

• No data available for the other components of the product.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in Soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No further data available.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Dispose of waste in accordance with local, regional, national, and/or international regulations. The empty container has residues which may exhibit hazards of the product.

Contaminated Packaging: Container packaging is not expected to exhibit hazards.

Section 14 – Transport Information

Note: This product is not regulated as dangerous goods for transport.

14.1 UN number	Not applicable
14.2 UN proper shipping name	Not applicable
14.3 Transport hazard class(es):	Not applicable
14.4 Packing group	Not applicable
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

Section 15 – Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United States

Federal Regulations:

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

Chemical Name	CAS No.	CERLA RQ
Propylene oxide	75-56-9	100 lbs
Ethylene oxide	75-21-8	10 lbs
Formaldehyde (gas)	50-00-0	100 lbs
Methanol	67-56-1	5,000 lbs
Ethylbenzene	100-41-4	1,000 lbs

Clean Water Act (CWA): No components in this product are listed as toxic pollutants.

Clean Air Act (CAA): Propylene oxide (CAS No. 75-56-9) and ethylene oxide (CAS No. 75-21-8) are listed by the CAA, each with a threshold quantity of 10,000 lbs. Formaldehyde (CAS No. 50-00-0) is listed by the CAA with a threshold quantity of 15,000 lbs.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA 302 Components: Formaldehyde (CAS No. 50-00-0) has a reporting quantity of 500 lbs in accordance with S.302. Ethylene oxide (CAS No. 75-21-8) has a reporting quantity of 1,000 lbs in accordance with S.302. Propylene oxide (CAS No. 75-56-9) has a reporting quantity of 10,000 lbs in accordance with S.302. No other components in this product are subject to reporting requirements of S.302.

SARA 304 Emergency Release Notification: Propylene oxide (CAS No. 75-56-9) and formaldehyde (CAS No. 50-00-0) each have a reporting quantity of 100 lbs in accordance with S.304. Ethylene oxide (CAS No. 75-21-8) has a reporting quantity of 10 lbs in accordance with S.304. No other components in this product are subject to reporting requirements of S.304.

SARA 311/312 Hazards: None.

SARA 313 Components: Formaldehyde (CAS No. 50-00-0, propylene oxide (CAS No. 75-56-9), ethylene oxide (CAS No. 75-21-8), methanol (CAS No. 67-56-1), and ethylbenzene (CAS No. 100-41-4), are subject to reporting requirements of S.313. No other components in this product are subject to reporting requirements of S.313.

Toxic Substances Control Act (TSCA): Methanol, (1H,3H,5H-oxazolo[3,4-c]oxazol-7a(7H)-ylmethoxy)-(CAS No. 59720-42-2) and 5-hydroxypoly (methyleneoxy (74% C2, 21% C3, 4% C4, 1% C5) methyl-1-aza-3, 7-dioxabicyclo- (3.3.0) octane (CAS No. 56709-13-8) are not listed on the non-confidential TSCA inventory. All other components are listed on the non-confidential TSCA inventory or are exempt.

State Regulations:

California Candidate Chemicals List: Formaldehyde (CAS No. 50-00-0), propylene oxide (CAS No. 75-56-9), ethylene oxide (CAS No. 75-21-8), methanol (CAS No. 67-56-1), ethylbenzene (CAS No. 100-41-4), formaldehyde (gas) (CAS No. 50-00-0) and crystalline silica (particles of respirable size) (CAS No. 14808-60-7) are listed on California's Candidate Chemicals List.

California Proposition 65 List: Formaldehyde (CAS No. 50-00-0), propylene oxide (CAS No. 75-56-9), ethylene oxide (CAS No. 75-21-8), methanol (CAS No. 67-56-1), ethylbenzene (CAS No. 100-41-4), and formaldehyde (gas) (CAS No. 50-00-0) are listed on the Proposition 65 List. A screening assessment indicates that the trace levels of these constituents are not expected to be a cause for concern or require warnings as per California Proposition 65. Crystalline silica (particles of respirable size) (CAS No. 14808-60-7) is listed on the Proposition 65 List; however, given the nature and physical form of the product (*i.e.*, liquid ink), airborne respirable particles would not likely be released from the product and therefore the listed form of crystalline silica is not relevant for the product. No other components in this product are listed on the Proposition 65 List.

Maine List of Chemicals of High Concern: Given the product is not considered to be a toy and is not intended for use by children, the List of Chemicals of High Concern is not applicable to the product.

Massachusetts Toxic or Hazardous Substance List: Formaldehyde (CAS No. 50-00-0) is listed on the Toxic or Hazardous Substance List. No other components in this product are listed on the Toxic or Hazardous Substance List. Minnesota Chemicals of High Concern List and Priority List: Formaldehyde (gas) (CAS No. 50-00-0), propylene oxide (CAS No. 75-56-9), ethylene oxide (CAS No. 75-21-8), methanol (CAS No. 67-56-1), and ethylbenzene (CAS No. 100-41-4) are listed on the Chemicals of High Concern and Priority list. No other components in this product are listed on the Chemicals of High Concern and Priority list.

New Jersey Right to Know Hazardous Substance List: Formaldehyde (gas) (CAS No. 50-00-0), 1,2 propylene glycol (CAS No. 57-55-6), propylene oxide (CAS No. 75-56-9), ethylene oxide (CAS No. 75-21-8), methanol (CAS No. 67-56-1), talc (CAS No. 14807-96-6), ethylbenzene (CAS No. 100-41-4), and diiron trioxide (CAS No. 1309-37-1) are listed on the Right to Know Hazardous Substance List. No other components in this product are listed on the Right to Know Hazardous Substance List.

Pennsylvania Hazardous Substance List: Formaldehyde (gas) (CAS No. 50-00-0),1,2 propylene glycol (CAS No. 57-55-6), propylene oxide (CAS No. 75-56-9), ethylene oxide (CAS No. 75-21-8), methanol (CAS No. 67-56-1), talc (CAS No. 14807-96-6), ethylbenzene (CAS No. 100-41-4), and diiron trioxide (CAS No. 1309-37-1) are listed on the Hazardous Substance List. No other components in this product are listed on the Hazardous Substance List. Vermont Chemicals of High Concern to Children: Given the product is not considered to be a toy and is not intended for use by children, the Chemicals of High Concern to Children: Given the product is not considered to be a toy and is not intended for use by children, the Chemicals of High Concern to Children list is not applicable to the product.

Canada

CEPA DSL/NDSL: The components of this product are included on the DSL or are exempt from DSL/NDSL requirements.

International:

IARC: Formaldehyde (CAS No. 50-00-0), ethylene oxide (CAS No. 75-21-8), ethylbenzene (CAS No. 100-41-4), crystalline silica (particles of respirable size) (CAS No.14808-60-7), and talc (CAS No. 14807-96-6) are listed as Group 1, carcinogenic to humans. Propylene oxide (CAS No. 75-56-9) and methanol (CAS No. 67-56-1) are listed as Group 2B, possibly carcinogenic to humans. No other components in this product are classified with respect to carcinogenicity.

15.2 Chemical Safety Assessment

None available for the components in this product.

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in **Section 3**.

Section 16 - Other Information

List of acronyms and abbreviations:

ACGIH: American conference of Governmental Hygenists	OSHA: Occupational Safety and Health Administration
ATE: Acute Toxicity Estimate	PBT: Persistent, Bioaccumulative and Toxic
CAA: Clean Air Act	PEL: Permissible Exposure Level
CAS: Chemical Abstract Service Number	PPE: Personal Protective Equipment
CERCLA: Comprehensive Environmental Response and	RQ: Reportable quantity
Liability Act	
CWA: Clean Water Act	REACH: Registration, Evaluation, Authorisation and
	Restriction of Chemicals
DFG MAK: Deutsche Forschungsgemeinschaf Maximale	REL: Recommended exposure level
Arbeitsplatz-Konzentration	
EC: European Commission	SARA: Superfund Amendment and Reauthorization Act
ECHA: European Chemicals Agency	SDS: Safety Data Sheet
GHS: Global Harmonized System	TLV: Threshold limit value
HEPA: High Efficiency Particulate Air	TSCA: Toxic Substances Control Act
IARC: International Agency for Research on Cancer	TWA: Time-weighted average
IBC: International Bulk Chemical	UN: United Nations
MARPOL: Maritime Pollution	vPvB: very Persistent, very Bioaccumulative
NIOSH: National Institute for Occupational Safety & Health	

References:

ECHA (European Chemicals Agency). 2022. REACH Registered Substances Database. https://echa.europa.eu/search-for-chemicals

IARC (International Agency for Research on Cancer). 2022. Agents Classified by the IARC Monographs, Volumes 1–129. https://monographs.iarc.who.int/list-of-classifications/

NTP (National Toxicology Program). 2022. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC:

U.S. Department of Health and Human Services, Public Health Service. https://ntp.niehs.nih.gov/go/roc14

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a new Safety Data Sheet.

Creation Date: May 20, 2022